

62DE Corn Syrup IX

Temp	
40	Heat Cap (BTU/lb•F) = -0.00583(%Solids) + 0.9913
80	Heat Cap (BTU/lb•F) = -0.00552(%Solids) + 1.0050
120	Heat Cap (BTU/lb•F) = -0.00526(%Solids) + 1.0187
160	Heat Cap (BTU/lb•F) = -0.00501(%Solids) + 1.0300
200	Heat Cap (BTU/lb•F) = -0.00488(%Solids)+ 1.0522

Solids	
10	Heat Cap (BTU/lb•F) = 0.000427(°F) + 0.9152
20	Heat Cap (BTU/lb•F) = 0.000487(°F) + 0.8549
30	Heat Cap (BTU/lb•F) = 0.000547(°F) + 0.7947
40	Heat Cap (BTU/lb•F) = 0.000607(°F) + 0.7345
50	Heat Cap (BTU/lb•F) = 0.000667(°F) + 0.6743
60	Heat Cap (BTU/lb•F) = 0.000727(°F) + 0.6141
70	Heat Cap (BTU/lb•F) = 0.000787(°F) + 0.5538
80	Heat Cap (BTU/lb•F) = 0.000847(°F) + 0.4936

Temp	Solids							
	10	20	30	40	50	60	70	80
40	0.932975597	0.874655	0.816334	0.758013	0.699693	0.641372	0.583051	0.52473
80	0.949815093	0.894631	0.839446	0.784261	0.729077	0.673892	0.618708	0.563523
120	0.966047426	0.913431	0.860816	0.8082	0.755584	0.702968	0.650352	0.597736
160	0.979893192	0.929755	0.879617	0.829479	0.779341	0.729203	0.679064	0.628926
200	1.003343978	0.954506	0.905667	0.856829	0.807991	0.759153	0.710314	0.661476

Solids	Temp				
	40	80	120	160	200
10	0.932975597	0.949815	0.966047	0.979893	1.003344
20	0.874654827	0.894631	0.913431	0.929755	0.954506
30	0.816334057	0.839446	0.860816	0.879617	0.905667
40	0.758013287	0.784261	0.8082	0.829479	0.856829
50	0.699692517	0.729077	0.755584	0.779341	0.807991
60	0.641371747	0.673892	0.702968	0.729203	0.759153
70	0.583050977	0.618708	0.650352	0.679064	0.710314
80	0.524730207	0.563523	0.597736	0.628926	0.661476